



CHLOROCEM INDUSTRIES

E 57, INDRAPRASTHA INDUSTRIAL AREA, KOTA 324005 INDIA

TECHNICAL DATA SHEET STABLE BLEACHING POWDER

(CCI BRAND)

Specifications

Conforming to- **IS 1065 (Part-2): 2019 Type-2 Treatment of Water Intended for Drinking**

General Appearance	Dry free flowing white powder free from hard lumps and other visible impurities.
Available Chlorine, percent by mass, Minimum	32.0
Stability, loss of available chlorine, Maximum.	1/12
Moisture, percent by mass, maximum.	0.5
Particle Size, passing through 1.7 mm IS Sieve, percent by mass, Minimum.	99.0
Lead (as Pb) ppm, Max	70
Arsenic (as As) ppm, Max	10
Manganese (as Mn) ppm, Max	250
Chromium (as Cr ⁶⁺) ppm, Max	20
Mercury (as Hg) ppm, Max	5
Cadmium (as Cd) ppm, Max	10
Selenium (as Se) ppm, Max	10